

INDEX MAPS.

T.5N R.4W 2nd Mer.

	368	368-369	368-369	368-369	367-369	367-370						
371	6	390	5	386	4	382	3	379	2	375	1	367
	390		389		386		382		378		374	
371	7	389	8	385	9	382	10	378	11	374	12	366
	390		388		385		381		378		374	
370	18	388	17	385	16	381	15	377	14	373	13	366
	390		388		384		381		377		373	
370	19	387	20	384	21	380	22	377	23	373	24	366
	391		387		384		380		376		372	
370	30	387	29	383	28	380	27	376	26	372	25	366
	391		386		383		379		376		372	
370	31	386	32	383	33	379	34	375	35	371	36	365
	364		363-364		363-364		363-365		363-365		363-365	

T.6N R.4W 2nd Mer.

	399		398		398		398		397		397	
400	6	419	5	416	4	412	3	408	2	404	1	396
	421		419		415		411		408		404	
400	7	419	8	415	9	411	10	407	11	404	12	396
	421		418		415		411		407		403	
400	18	418	17	414	16	411	15	407	14	403	13	396
	420		418		414		410		406		403	
399	19	418	20	414	21	410	22	406	23	402	24	395
	420		417		413		409		406		402	
399	30	417	29	413	28	409	27	405	26	402	25	395
	420		417		413		409		405		401	
399	31	416	32	412	33	408	34	405	35	401	36	395
	393-394		393-394		393-394		393-394		393-394		393-394	

The figures on the lines refer to the page.

Township No 5 North of Range No 4 West of the 2nd Mer. Ind
Ch. Lks.

South Boundary

West	On a Random line On the South Boundary of Sec. 36. T. No 5 N.R. No 4 W.
40.00	Set a temporary post for the cor. of 1/4 sec.
80.00	Set a temporary post for the cor. of Sec. 35 & 36 Land very hilly timber Oak & Hickory
West	On the Random line, On the S. Boundary of Sec. 35. T. No 5 N.R. No 4 W.
23.50	To a Brook 9 miles wide, Corner N.W.
31.50	" " " " " " S.W.
40.00	Set a temporary post for the cor. of 1/4 sec.
69.00	To a Brook 75 miles wide, Corner S.W.
80.00	Set a temporary post for the cor. of Sec. 34 & 35. Land same as last mile.
West	On a Random line On the South Boundary of Sec. 34 T. No 5 N.R. No 4 W.
38.00	To a Brook 18 miles wide, Corner S.
40.00	Set a temporary post for the cor. of 1/4 sec.
80.00	" " " " " " Sec. 33 & 34 Land soil and timber same as last mile.
West	On a Random line On the South Boundary of Sec. 33.
12.00	To a Brook 10 miles wide Corner S.E.
40.00	Set a post for the cor. of 1/4 sec. (temporary)
80.00	Set a temporary post for the cor. of Sec. 32 & 33. Land soil & timber same as last mile.
West	On the South Boundary of Sec. 32. T. No 5 N.R. No 4 W.
40.00	Set a temporary post for the cor. of 1/4 sec.
80.00	" " " " " " Sec. 31 & 32 Land soil & timber same as last mile.

T. N^o 5 N.R. N^o 4 W. 2nd Mer. Ind.

West	On a Meridian line On the South Boundary of sec. 31 T. N ^o 5 N.R. N ^o 4 W.
4000	Set a temporary post for the cor. of 74 sec.
73.10	Entered the N ^o 5 Range Line, South of cor. To corner 4. 45. 5. N.R. 45 W. Sandy brushy thin soil; timber same as last mile.
East	On a true line On the South Boundary of sec. 31. T. N ^o 5 N.R. N ^o 4 W. N. 6° 25'
33.10	Set the temporary post on the true line for the cor. of 74 sec. from which a Gum 10 in diam. bears N 45 E. 8 links out; 10 Hickory 7 1/2 " " S 10 E. 8 " "
73.10	Set the temporary post on the true line for the cor. off Sec. 31 & 32 from which a W. Oak 10 in diam. bears S 80 E. 17 links out and a Do. 20 " " S 30 E. 28 " " Sandy soil & timber same as last mile.
East	On the Slide line On the South Boundary of sec. 32. T. N ^o 5 N.R. N ^o 4 W.
40.00	Set the temporary post on the true line for the cor. off 74 sec. from which a W. Oak 1 in diam. bears South 1 link out;
80.00	Set a post for the cor. off sec. 32 & 33 on the true line from which a Poplar 6 in diam. bears N 84 E. 24 links out; and a Hickory 3 1/2 " " S 83 W. 3 " "
East	On the true line On the South Boundary of sec. 33. T. N ^o 5 N.R. N ^o 4 W.
40.00	Set the temporary post on the true line for the cor. off 74 sec. from which a Gum 20 in diam. bears N 48 E. 27 links out and a W. Oak 20 " " S 38 E. 8 " "
80.00	Set a post for the cor. of sec. 33 & 34 on the true line from which a W. Oak 20 in diam. bears N 85 E. 26 links out; and a Hickory 10 " " N 21 E. 5 " "

T. N. 5 N. R. N. 4 W. 2nd Mer. Ind.

East On the true line On the South Boundary of sec. 34
T. N. 5 N. R. N. 4 W.

40.00 Set the temp^s post on the true line for the cor. of 1/4 sec. from
which a Hickory 12 in. diam. bears N 61 E. 22 links north; 1st
on Ironwood 6 " " S 57 W 36 " "

80.00 Set the temp^s post on the true line for the cor. of sec. 34 & 35 from
which a W. Oak 12 in. diam. bears N 70 E. 25 links north; 1st
and a Ho 10 " " " S 71 E. 11 " "

East On the true line On the South Boundary of sec. 35
T. N. 5 N. R. N. 4 W.

40.00 Set a post temp^s on the true line for the cor. of 1/4 sec. from
which a Locust 12 in. diam. bears S 8 E. 17 links north; 1st
Hickory 12 " " " S 89 W 49 " "

80.00 Set the temp^s post on the true line for the cor. of sec. 35 & 36.
from which a W. Oak 9 in. diam. bears N 74 E. 14 links north; 1st
and a Ho 8 " " " S 81 W 17 " "

East On the true line On the South Boundary of sec. 36
T. N. 5 N. R. N. 4 W.

40.00 Set the temp^s post on the true line for the cor. of 1/4 sec. from
which a W. Oak 20 in. diam. bears S 45 E. 8 links north; 1st
Hogwood 7 " " " N 29 W 18 " "

80.00 To the post cor. of Towns 4. 4. & 5. 5. N 18 E. 314 W.

East Boundary

V. 6. 30' I 1

North On the East Boundary of sec. 36. T. N. 5 N. R. N. 4 W.

40.00 Set a post for the cor. of 1/4 sec. from which a
W. Oak 10 in. diam. bears S 30 E. 11 links north; 1st
Ho 12 " " " N 30 W 6 " "

80.00 Set a post for the cor. of sec. 25 & 36. from which a
W. Oak 24 in. diam. bears S 15 E. 34 links north; 1st
Maple 10 " " " S 87 E. 24 " "

N^o 5 N.R. N^o 4 N. 2nd Mer. Ind^a.

Land hilly; timber Oak & Hick^{ry}; very bushy
thin soil.

North	On the East Boundary of sec. 25. T. N ^o 5 N.R. N ^o 4 N.
40.00	Set apart for the cor. of 14 ac. from which W Oak 8 in diam. bears S 20 W. 20 links due; r a, L o. 20 " " S 38 E. 19 " "
63.50	Trick Brook 10 links wide, Comes N.
80.00	Set apart for the cor. of sec. 24, 25. from which W Oak 12 in diam. bears S 59 W. 7 links due; r a, L o. 12 " " S 61 E. 30 " "
	Land soil & timber same as last mile.

North	On the East Boundary of sec. 24 T. N ^o 5 N.R. N ^o 4 N.
38.75	Trick Brook 12 links wide, Comes N. E. S.
40.00	Set apart for the cor. of 14 ac. from which Sugar 10 in diam. bears S 31 E. 36 links due; r a, L o. 9 " " S 59 W. 20 " "
80.00	Set apart for the cor. of sec. 13 & 24 from which Gum 18 in diam. bears S 63 W. 41 links due; r a, W Oak 20 " " N 6 E. 30 " "
	Land soil & timber same as last mile.

North	On the East Boundary of sec. 13. T. N ^o 5 N.R. N ^o 4 N.
40.00	Set apart for the cor. of 14 ac. from which Poplar 36 in diam. bears S 9 E. 31 links due; r a, Gum 8 " " N 5 E. 13 " "
80.00	Set apart for the cor. of sec. 12 & 13 from which W Oak 10 in diam. bears N 32 E. 5 links due; r a, L o. 12 " " N 47 W. 26 " "
	Land soil and timber same

North	On the East Boundary of sec. 12 T. N ^o 5 N. R. N ^o 4 N.
-------	---

I No 5 N.R. No 4 N 2nd Mer. Ind.

2.00 Toa Brook. 18 in. wide, Same I W.
6.10 " " W Oak. 10 in. dia. Stands in the line.
40.00 Set apart for the cor. of $\frac{1}{4}$ sec. from which
W Oak. 30 in. dia. bears S 4 W. 29 links ab; 19
Poplar. 20 " " " N 26 W. 10 " "
7540 Toa B Oak. 12 in. dia. Stands in the line
80.00 Set apart for the cor. of sec. 1. & 12 from which
Dogwood 7 in. dia. bears S 8 W. 50 links ab; 12
Poplar. 7 " " " N 22 W. 26 " "
Same cor. and timber Same

North On the East Branch of Sec. 1. T. N. 5 N. R. N. 4 W.
31.00 Lost Brook. 20 miles wide, Comes S. N.
40.00 Set apart for the use of $\frac{1}{4}$ Sec. from white
Maple 10 mi. dist. from. N. 43 E. 5 miles wide; &c,
do. do. do. do. do. N. 47 E. 7 " "
50.00 Lost Brook. 12 miles wide, Comes S. E.
80.00 Set apart for off Terms. 5.15. 606. N. R. N. 31 4 W. from
white B. Oak, 20 mi. dist. from East 14 miles wide;
under N. Oak. 18 " " " N. 67 W. 10 " "
Sandy hilly timber Oak & Hickory

North Boundary

D. 24

West	On the South Boundary of Sec. 36. T. N. 6. R. N. 4 W.
4000	Set a temporary post for the cor. of 1/4 Sec.
8000	" " " " " " " " Sec. 35 & 36. Sandy hill; Limbu Oak & Hickory.
West	On the South Boundary of Sec. 35. A and Random line. T. N. 6. R. N. 4 W.
3150	To a Burn 10 miles from corner of
4000	Set a temporary post for the cor. of 1/4 Sec.
8000	Set a post (temporary) for the cor. of Sec. 34 & 35

T. N. 5 N.R. N. 4 W. 2nd Mer. Ind.?

Land rail & timber same as last mile.

West On a Random line On the South Boundary of Sec. 34
T. N. 6 N.R. N. 4 W.

40.00 Set a temporary post for the cor. of $\frac{1}{4}$ Sec.

80.70 " " " " " " " " Sec. 33 & 34.

Land rail & timber same as last mile.

West On a Random line On the South Boundary of Sec. 33
T. N. 6 N.R. N. 4 W.

40.00 Set a temporary post for the cor. of $\frac{1}{4}$ Sec.

80.00 " " " " " " " " Sec. 32 & 33.

Land rail & timber same as last mile.

West On a Random line On the South Boundary of Sec. 32
T. N. 6 N.R. N. 4 W.

40.00 Set a temporary post for the cor. of $\frac{1}{4}$ Sec.

80.00 " " " " " " " " Sec. 31 & 32

Land rail & timber same as last mile.

West On a Random line On the South Boundary of Sec. 31
T. N. 6 N.R. N. 4 W.

40.00 Set a temporary post for the cor. of $\frac{1}{4}$ Sec.

74.08 Intersected the N & S Range line 8 miles N. of the
first cor. of Sec. 16. 31 & 36. T. 5. 5. & 16. N.R. 415
West. 2nd Mer.

Land rail & timber same as last mile.

East On the true line On the S. Boundary of Sec. 31.
T. N. 6 N.R. N. 4 W. R. 6° 30'

34.08 Set the temporary post on the true line for the cor. of $\frac{1}{4}$ Sec. from
which a Dogwood 6 in diam. bears S 84 E. 24 the dist
and a White Oak 9 " " " S 68 W. 15 " "

S. N^o 5 N.R. N^o 4 N. 2nd Mer. Ind.

44.08 Set the temp^y post on the true line for the cor. of l^o. 31132
from which a R. Oak. 8 in dia. beam. N 15 E. 13 the arch
made a L^o. 8 " " " S 79 N. 18 " "

East On the true line On the South Boundary of l^o. 32
S. N^o 6 N.R. N^o 4 N.

40.00 Set the temp^y post on the true line for the cor. of l^o.
from which a R. Oak. 7 in dia. beam. N 12 E. 28 the arch
made a L^o. 7 " " " S 25 N. 22 " "

80.00 Set the temp^y post on the true line for the cor. of l^o. 32833.
from which a W. Oak. 18 in dia. beam. N 81 E. 42 the arch
made a Gum. 7 " " " S 56 E. 32 " "

East On the true line On the South Boundary of l^o. 33.
S. N^o 6 N.R. N^o 4 N.

40.00 Set the temp^y post on the true line for the cor. of l^o.
from which a Gum. 9 in dia. beam. N 74 E. 19 the arch
made a W. Oak. 12 " " " S 8 E. 3 " "

80.00 Set the temp^y post on the true line for the cor. of l^o. 33134.
from which a W. Oak. 12 in dia. beam. S 38 E. 36 the arch
made a L^o. 18 " " " N 26 N. 28 " "

East On the true line On the S. Boundary of l^o. 34.
S. N^o 6 N.R. N^o 4 N.

40.00 Set the temp^y post on the true line for the cor. of l^o.
from which a R. Oak. 12 in dia. beam. S 79 E. 13 the arch,
made a Gum. 8 " " " S 14 E. 45 " "

80.00 Set the temp^y post on the true line for the cor. of l^o. 34135.
from which a W. Oak. 12 in dia. beam. S 61 E. 42 the arch
made a Gum. 10 " " " N 7 E. 23 " "

East On the true line On the South Boundary of l^o. 35.
S. N^o 6 N.R. N^o 4 N.

S. N^o 5 N. R. N^o 4 W. 2nd Mer. Sec.

40.00 Set the temp. post on the true line for the cor. of 74 sec.
from which a W. Oak + in dist. bears N 51 E 34 links dist;
ruac w Llo. 18 " " " S 54 N. 12 " "

80.00 Set the temp. post at the true line for the cor. of sec. 35 + 36
from which a Gum. 8 in. dist. bears N 25 N. 18 links dist;

East On the true line On the S. Boundary of sec. 36. S. N^o 6. N. R. 4 W.

40.00 Set the temp. post on the true line for the cor. of 74 sec.
from which a W. Oak. 20 in. dist. bears West. 2 links dist.

80.00 Set the cor. of S. 5.5 + 6.6. N. R. 3 + 4 W.

West Boundary

v. 6. 45. 1 31

North On the East Boundary of sec. 36. S. N^o 5 N. R. N^o 5 W.

40.00 Set a post for the cor. of 74 sec. from which
Wicket 12 in. dist. bears N 42 E. 44 links dist;

80.00 Set a post for the cor. of sec. 25 + 36 from which a
W. Oak. 20 in. dist. bears S 23 E. 216 links dist;
Land covered with brush; no timber.

North On the East Boundary of sec. 25. S. N^o 5 N. R. N^o 5 W.

40.00 Set a post for the cor. of 74 sec. no timber high.

65.00 To Oak. + Wicket timbered land.

80.00 Set a post for the cor. of sec. 24 + 25. from which a
W. Oak. 24 in. dist. bears S 28 N. 40 links dist; +
Llo. 20 " " " S 70 E. 38 " "

North On the East Boundary of sec. 24. S. N^o 5 N. R. N^o 5 W.

40.00 Set a post for the cor. of 74 sec.

80.00 Set a post for the cor. of sec. 13 + 24 from which a
W. Oak. 10 in. dist. bears N 45 E. 54 links dist;

North On the East Boundary of sec. 13. S. N^o 5 N. R. N^o 5 W.

40.00 Set a post for the cor. of 74 sec. from which a

T. N. 5 N. R. N. 4 W. 2nd Mer. Sec. 2

	Qu. 9 in diam. beam. N 52 E. 36 links dist; 1 st
44.00	Lost Brook. 50 links wide, Centre West
80.00	Set apart for the cor. of Sec. 12 & 13 from which a W. Oak. 24 in diam. beam. S 15 N. 32 links dist; 1 st , Lg. 12 " " " S 36 E. 26 " " Lands broken Timber since at last mile.
North	On the East Boundary of Sec. 12 T. N. 5 N. R. N. 5 W.
40.00	Set apart for the cor. of 1/4 Sec. from which a W. Oak. 12 in diam. beam. S 23 N. 28 links dist; 1 st , W. Oak. 18 " " " N 38 E. 55 " "
47.40	Iron Poplar. 24 in diam. stands in the line.
80.00	Set apart for the cor. of Sec. 1 & 12 from which a Logwood 9 in diam. beam. S 10 N. 38 links dist; 1 st , W. Oak. 20 " " " N 61 N. 21 " " Lands soil and timber same at last mile.
North	On the East Boundary of Sec. 1. T. N. 5 N. R. N. 5 W.
40.00	Set apart for the cor. of 1/4 Sec. from which a W. Oak. 20 in diam. beam. S 50 N. 3 links dist; 1 st , Lg. 10 " " " S 83 E. 15 " "
80.00	Set apart for the cor. of T. N. 5. 5. 16. 6. N. R. N. 5 W. 4 & 5 W. from which a W. Oak. 10 in diam. beam South 10 links dist; 1 st , W. Oak. 8 " " " N 38 E. 11 " " Lands flat. Timber Oak. Ash & Hickory.

Subdivisions.

North	Between Sec. 35 & 36. T. N. 5 N. R. N. 4 W.
40.00	Set apart for the cor. of 1/4 Sec. from which a Sugar. 10 in diam. beam S 50 E. 16 links dist; 1 st , Red Bud 6 " " " N 18 N. 39 " "
41.00	Lost Brook. 10 links wide, Centre W.

T. N^o 5 N. R. N^o 4 W. 2nd Mer. Quad.

80.00 Set a post for the cor. of sec. 25, 26, 35 & 36 from which
a W Oak. 12 in dia. bears N 64 W. 48 lbs dist. 12
Do. 10 " " " N 13 E. 22 " "
Land is hilly; Timber Oak, & Hickory; Very brushy

East On a Random line between Sec. 25 & 36. T. N^o 5 N. R. 4 W.

40.00 Set a temporary post for the cor. of 1/4 sec.

79.80 Intersected the East Boundary 10 links N of the
post cor. of sec. 25 & 36.

Land & soil & timber same as last mile.

West On the same line between Sec. 25 & 36 T. N^o 5 N. R. 4 W.

39.90 Set the temporary post at the av. arb; on the same line from
the cor. of 1/4 sec. from which

Log woods 7 in dia. bears N 33 E. 19 links dist;

79.80 To the post cor. of sec. 25, 26, 35 & 36.

North Between Sec. 25 & 26 T. N^o 5 N. R. N^o 4 W.

18.50 To a Poplar. 18 in dia. It stands in the line

37.00 " " A Brook 18 links wide, Corner S. W.

40.00 Set a post for the cor. of 1/4 sec. from which is
Sycamore 20 in dia. bears S 33 E. 19 links dist; 12
Sycamore 8 " " " S 70 W. 12 " "

80.00 Set a post for the cor. of sec. 23, 24, 25 & 26 from which
W Oak. 24 in. dia. bears S 38 E. 16 links dist; 12
W Oak. 12 " " " N 29 W. 23 " "
Land same as last mile.

East On a Random line between Sec. 24 & 25 T. N^o 5 N. R. 4 W.

40.00 Set a temporary post for the cor. of 1/4 sec.

44.00 To a Brook. 18 links wide, Corner S.

79.88 Intersected the N. 1/2 line 12 links South of the post
cor. of sec. 24 & 25. Land soil & timber same.

T. N. 5 N. R. N. 4 W. and Mer. Ind.

West On the true line between Sec. 24 & 25 T. N. 5 N. R. 4 W.
 39.94 Set the temporary post at the corner where in the true line for
 the cor. of $\frac{1}{4}$ sec. from which is
 Sugar. 8 in. diam. bears S 81 W. 19 miles north; 8 in.
 Do. 8 " " " S 60 W. 6 " "
 49.88 To the first cor. of sec. 23, 24, 25 & 26.

North Return Sec. 23 & 24 T. N. 5 N. R. N. 4 W.
 40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which is
 W. Oak. 7 in. diam. bears N 46 W. 23 miles north; 8 in.
 W. Oak. 18 " " " N 33 E. 35 " "
 80.00 Set a post for the cor. of sec. 13, 14, 23, & 24 from which
 is W. Oak. 20 in. diam. bears N 58 W. 9 miles north; 8 in.
 Do. 18 " " " N 9 W. 75 " "
 Same soil and timber same as last mile.

East On a random line between Sec. 13 & 24 T. N. 5 N. R. 4 W.
 40.00 Set a temporary post for the cor. of $\frac{1}{4}$ sec.
 40.70 To a Spring. Corner C.
 57.00 To a Brook. 18 miles from Corner C.
 80.00 Enter at the N. 15 line 62 miles south of the post
 cor. of sec. 13 & 24. On the East Boundary.
 Same soil & timber same as last mile.

West On the true line between Sec. 13 & 24 T. N. 5 N. R. 4 W.
 40.00 Set the temporary post at the corner where in the true line
 for the cor. of $\frac{1}{4}$ sec. from which is
 W. Oak. 18 in. diam. bears S 85 E. 43 miles north; 8 in.
 Poplar. 17 " " " N 67 W. 16 " "
 80.00 To the first cor. of sec. 13, 14, 23 & 24

North Return Sec. 13 & 14 T. N. 5 N. R. N. 4 W.
 40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which is

T N^o 5 N R N^o 4 W. 2nd Mer. Sur.

W. Oak 12 in. dia. bears S 8 E. 49 links due; by
 Poplar 10 " " " N 37 W 39 " "
 44.00 Set a post for the cor. of sec. 11, 12, 13 & 14 from which
 80.00 W. Oak 20 in. dia. bears S 2 E. 54 links due; by
 Hickory 10 " " " N 8 E. 21 " "
 Lands and timber same as last mile.

East On a Random line between Sec. 12 & 13. T N^o 5 N R 4 W
 40.00 Set a temporary post for the cor. of 1/4 Sec.
 79.50 Iron Pin. K. 72 links under Corner S. W.
 79.90 Intersect the East Boundary 18 links South of the
 post cor. of sec. 12 & 13.
 Lands and timber same as last mile.

West On the true line between Sec. 12 & 13. T N^o 5 N R 4 W
 39.95 Set the temporary post at the av. dist. on the true line
 for the cor. of 1/4 Sec. from which
 W. Oak 18 in. dia. bears S 65 E. 36 links due; by
 Gum. 7 " " " S 47 W 19 " "
 79.90 To the first cor. of Sec. 11, 12, 13 & 14.

North Between Sec. 11 & 12 T N^o 5 N R N^o 5 W
 40.00 Set a post for the cor. of 1/4 Sec. from which
 Maple 10 in. dia. bears N 38 E. 42 links due; by
 Elm 7 " " " N 71 E. 5 " "
 42.25 Iron Pin. K. 20 links under Corner S. W.
 80.00 Set a post for the cor. of sec. 1, 2, 11 & 12 from which
 a long mode 9 in. dia. bears S 9 E. 47 links due; by
 W. Oak 20 " " " S 50 W 15 " "
 Lands and timber same as last mile.

East On a Random line between Sec. 1 & 12 T N^o 5 N R N^o 4 W

375

T. N^o 5 N. R. N^o 4 W. 2nd Mer. Ind.

40.00 Set a temporary post for the cor. of 74 sec
 52.10 To a Brook 20 links wide, crosses S. W.
 79.78 Enter at the East Boundary of T. N^o 5 N. R. N^o 4
 W. 20 links South of the post cor. of sec. 1 & 12.
 Lands arid and timber some as last mile.

West On the true line between Sec. 1 & 12. T. N^o 4 N. R. 4 W.
 39.89 Set the temporary post at cor. dist. on the true line for the cor.
 to 74 sec from which a
 W. Oak. — in clear trees N 5 D E. 8 links dist; 12,
 Do. 18 " " " S 27 E. 22 " "
 79.78 To the cor. of sec. 1, 2, 11 & 12

North Between Sec. 11 & 22 T. N^o 5 N. R. N^o 4 W.
 5.04 To B. Oak. 20 in diam. Stands in the line
 40.00 Set a post for the cor. of 74 sec from which a
 W. Oak. 12 in diam. S 26 E. 35 links dist; 12,
 Dogwoods 6 " " N 6 E 7 " "
 42.40 To B. Oak. 20 in diam. Stands in the line.
 80.56 Enter at the N. Boundary at post cor. of sec. 35 & 36. T.
 N^o 6 N. R. N^o 4 W.
 Lands well timbered Oak, Hickory, Ash, Dogwood.
 Oak & Hickory, some Sassafras

North Between Sec. 34 & 35, T. N^o 5 N. R. N^o 4 W.
 40.00 Set post for the cor. of 74 sec. from which a
 B. Oak. 12 in diam. trees S 6 N. 15 links dist; 12,
 Do. — " " " S 26 E. 17 " "
 80.00 Set a post cor. of sec. 26, 27, 34 & 35 from which a
 W. Oak. — in clear trees N 60 E. 28 links dist; 12,
 Poplar 10 " " " N 67 W. 29 " "
 Lands hilly, timbered Oak, Hickory

T. N^o 5 NR. N^o 4 W. 2nd Mer. Ind^a.

East On a Random line between Sec. 26. & 35. T. N^o 5 NR. 4 W.
 40.00 Set a trip^l post for the cor. of 74 sec.
 11393 To a Brook 30 miles wide, Comes S.
 80.20 Intersect the N^o 13 line at the post cor. of sec. 25, 26, 35.
 & 36. Lands seems as last mile.

West On the true line, between Sec. 26 & 35. T. N^o 5 NR. 4 W.
 40.10 Set the trip^l post at the aver. dist. in the true line for
 the cor. of 74 sec. from which a
 Sugar. 10 in. dia^r bears N 75 W. 14 miles dist; 1st
 Ho. 7th " " N 54 E. 12 " "
 80.20 To the post cor. of sec. 26, 27, 34 & 35.

North Between Sec. 26. & 27 T. N^o 5 NR. N^o 4 W.
 24.05 To a N. Oak. 10 in. dia^r stands in the line.
 40.00 Set a post for the cor. of 74 sec. from which a
 N. Oak. 20 in. dia^r bears S 28 E. 9 miles dist; 1st
 Sugar 5 " " " N 60 W. 21 " "
 80.00 Set a post for the cor. of Sec. 22, 23, 26 & 27 from which a
 Gum. 12 in. dia^r bears S 43 E. 25 miles dist; 1st
 Ho. 9th " " " N 10 W. 36 " "
 Lands hilly and brushy

East On a Random line between Sec. 23. & 26 T. N^o 5 NR. 4 W.
 110.00 Set a trip^l post for the cor. of 74 sec.
 63.00 To a Brook. 10 miles wide, Comes S.E.
 80.00 Intersect the N^o 13 line ^{the} of the post cor. of Sec. 24, 25, 23
 & 26. Lands the same as last mile.

West On the true line between Sec. 23 & 26. T. N^o 5 NR. 4 W.
 40.00 Set the trip^l post at the aver. dist. in the true line
 for the cor. of 74 sec. from which a
 N. Oak. 12 in. dia^r bears N 75 E. 16 miles dist; 1st

8000 Logwood 7 in. dist. bears S 49 W. 21 lbs dist; To the cor. of sec. 22, 23, 26, 27.

North Return Sec. 22, 23, T. N^o 5 N.R. N^o 4 W.
40.00 Set a post for the cor. of 1/4 sec. from which a
W. Oak 18 in. dist. bears N 56 W. 30 units dist; 1 a,
Loc. 20 " " " N 5 E. 33 " "

8000 Set a post for the cor. of sec. 14, 15, 22 & 23. From which a
Gum 6 in. dist. bears S 20 E. 47 units dist; 1 a,
W. Oak 18 " " " N 59 W. 36 " "
Ground lumpy and very rocky; thin soil.

East On Random between Sec. 14 & 23 T. N^o 5 N.R. N^o 4 W.
40.00 Set a temp^y post for the cor. of 1/4 sec.
79.85 Intersect the N 5 W line 18 units S of the post cor. of sec.
13, 14, 23 & 24.
Ground same as last mile.

West On the true line between Sec. 14 & 23 T. N^o 5 N.R. N^o 4 W.
3992 ft. Set the temp^y post at av. dist. on the true line for the
cor. of 1/4 sec. From which a
Gum 10 in. dist. bears S 83 W. 40 lbs dist; 1 a,
W. Oak " " " N 36 W. 8 " "
79.85 To post cor. of sec. 14, 15, 22, 23.

North Return Sec. 14 & 15 T. N^o 5 N.R. N^o 4 W.
40.00 Set a 1/4 sec. post from which a
Gum 12 in. dist. bears S 78 W. 12 lbs dist; 1 a,
Hick 10 " " " N 5 E. 11 " "
This post stands on the side of a Rock. under which
is a bed of stone coal visible
8000 Set a post for the cor. of sec. 10, 11, 14 & 15 from which a
Logwood 6 in. dist. bears S 87 W. 5 lbs dist; 1 a,

T. N^o 5 N R. N^o 4 W. 2nd Mer. Sub.

Wick 78 in. diam. trees. S 70 E. 21 in. dist;
Sunde same as last mile.

East On Random line between Sec 11 & 14 T. N^o 5 N R. 4 W.
40.00 Set a temp^y post for the cor. of 1/4 sec.
80.20 Intersect the N & S line 10 links S. of post cor. of sec.
11, 12, 13 & 14; Sunde hilly and very thin Sunde Oak

West On the line between Sec 11 & 14 T. N^o 5 N R. 4 W.
40.10 Set temp^y post at av. dist on the line for the cor.
of 1/4 sec. from which
W Oak. 12 in. diam. trees S 7 E. 18 links dist; 1st
Poplar. 12 " " " N 59 W. 12 " "
80.20 To the cor. of Sec. 10, 11, 14 & 15

North Between Sec 10 & 11 T. N^o 5 N R. N^o 4 W.
35.00 To Brook. 29 links wide, Corner N.
40.00 Set a 1/4 sec. post for the cor. from which
W Oak. 30 in. diam. trees South 37 W. dist; 1st
Do. 18 " " " North 11 " "
80.00 Set a post for the cor. of Sec. 2, 3, 10 & 11 from which
Dogrocks. 8 in. diam. trees S 14 W. 46 links dist; 1st
W Oak. 12 " " " N 22 W. 8 " "
Sunde hilly; Sunde Oak, & Hick 7.

East On Random line between Sec 2 & 11 T. N^o 5 N R. N^o 4 W.
40.00 Set a temp^y post for the cor. of 1/4 sec.
80.25 Intersect the N & S line 18 links S. of the post cor. of sec. 1
2, 11 & 12. Sunde same.

West On the line between Sec 2 & 11 T. N^o 5 N R. 4 W.
40.12 1/2 Set the temp^y post at av. dist on the line for cor. of 1/4 sec. from
which Dogrocks 6. S 23 W. 19 links dist. Do. S. S 82 E. 19 links dist;

T. N^o 5 N. R. N^o 4 W. 2nd Mer. Ind^r80.25 To the cor of sec^s 2, 3, 10 & 11.

North Return Sec^s 2 & 3. T. N^o 5 N. R. N^o 4 W.
 21.60 To a W. Oak. 24 in. dia^r stands in the line.
 40.00 Set a post for cor. to 1/4 sec. from which
 Log made 8 in. dia^r trees. S 67^o W. 40 yds dist; 1 a
 W. Oak. 20 " " S 81^o E. 17 " "
 80.80 Set a post in the N boundary 1/4 mile West of the cor. of
 sec^s 34 & 35. T. N^o 6 N. R. N^o 4 W. from which
 Gum 9 in. dia^r trees S 32^o W. 48 yds dist; 1 a
 Do 9 " " " N 12^o W. 27 " "
 Same same as last mile.

North Return Sec^s 33 & 34 T. N^o 5 N. R. N^o 4 W.
 40.00 Set post for cor. of 1/4 sec. from which
 W Oak. 12 in. dia^r trees N 14^o W. 78 yds dist; 1 a
 Do. 18 " " " S 62^o W. 68 " "
 55.00 To a Brook. 18 yds wide, comes S. E.
 71.50 " " Same Do. 18 " " " S. W.
 80.00 Set a post for the cor. of sec^s 27, 28, 33 & 34 from which
 W Oak. 10 in. dia^r trees N 75^o W. 34 yds dist; 1 a
 Do 9 " " " N 39^o W. 4 " "
 Same broken; Timber Oak, Hickory, & some Poplar

East On a random line between Sec^s 27 & 34. T. N^o 5 N. R. N^o 4 W.
 10.00 To a Brook. 18 yds wide, comes S.
 40.00 Set a trumpet post opposite cor.
 80.00 Intersect the N & S line 10 yds S. of the post cor. of sec^s
 26, 27, 34 & 35.
 Same same as last mile.

West On the same line between Sec^s 27 & 34 T. N^o 5 N. R. N^o 4 W.
 40.00 Set trumpet post at cor. dist on the same line for the cor

T. N^o 5 N.R. N^o 4 W. 2nd Mer. Ind^c

	<p>of $\frac{1}{4}$ sec. from which a</p> <p>W. Oak. 12 in diam. trees S 78 W. 31 lbs dist; ra,</p> <p>Lo. 18 " " " N 28 E. 23 " "</p> <p>80.00 To the post cor. of sec. 27, 28, 33 & 34.</p>
North	Return Sec. 27 & 28. T. N ^o 5 N.R. N ^o 4 W.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which a
	W. Oak. 18 in diam. trees N 28 W. 31 lbs dist; ra,
	Lo. 12 " " " N 42 E. 7 " "
57.00	Loat Brook. 12 lbs midy, Corner S.E.
80.00	Set a post for the cor. of sec. 21, 22, 27, 28 from which a
	W. Oak. 12 in diam. trees S 4 E. 19 lbs dist; ra,
	Lo. 10 " " " N 84 E. 24 " "
	Land same as last mile.
East	On Random between Sec. 22, & 27 T. N ^o 5 N.R. N ^o 4 W.
40.00	Set a temporary post for $\frac{1}{4}$ sec. cor.
49.50	Loat Brook. 10 lbs midy, Corner S.W.
80.00	Intersect the N.S. line 6 miles S. of the post cor. of sec. 22, 23, 26, & 27
	Land to same as last mile.
West	On the true line between sec. 22 & 27 T. N ^o 5 N.R. N ^o 4 W.
40.00	Set the temporary post at av. depth on true line for the cor. of $\frac{1}{4}$ sec. from which a
	W. Oak. 10 in diam. trees East. 35 lbs dist; ra,
	Lo. 18 " " " N 9 W. 20 " "
80.00	To the post cor. of sec. 21, 22, 27 & 28.
North	Return Sec. 21 & 22 T. N ^o 5 N.R. N ^o 4 W.
40.00	Set a post for cor. of $\frac{1}{4}$ sec. from which a
	W. Oak. 10 in diam. trees N 7 E. 60 lbs dist; ra,
78.00	Loat Brook. the midy, Corner S.W.

T. N^o 5 N.R. N^o 4th 2nd Mer. (Sua?)

80.00 Set a post for the cor. of Sec. 15. 16. 21 & 22 from which
 W. Oak 8 in. diam. trees N 67° 29' the dist; 12,
 Cherry 8 " " " S 14 E. 28 "
 The post stands in a Brook 5 the mile, dense S. W.
 Lands very brushy; timber same.

East On Random line between Sec. 15 & 22 T. N^o 5 N.R. 4th.
 40.00 Set a trip 7 1/4 mi. post
 80.00 Enter cut the N & S line 8 the N. of the post cor. of Sec.
 14. 15. 20 & 23.
 Lands same as last mile.

West On the true line between Sec. 15 & 22 T. N^o 5 N.R. 4th.
 40.00 Set the trip 7 1/4 post at av. dist. in the true line for the cor.
 of 7 1/4 mi. from which
 W. Oak 10 in. diam. trees S 57° 13' the dist; 12,
 Do 9 " " " N 27° 19' "
 80.00 In the post cor. of Sec. 15. 16. 21 & 22.

North Return Sec. 15 & 16. T. N^o 5 N.R. N^o 4th.
 40.00 Set a post for the cor. of 1/4 mi. from which
 W. Oak 12 in. diam. trees N 55° 42' the dist;
 80.00 Set a post for the cor. off Sec. 9. 10. 15. & 16 from which
 Log woods 8 in. diam. trees N 16° 23' the dist; 12,
 W. Oak 6 " " " S 21° 19' "
 Lands hilly & brushy; thin soil, covered with trees.

East On Random line between Sec. 10. & 15 T. N.R. 4th
 40.00 Set a trip 7 1/4 mi. post
 80.00 Enter cut the N & S line 12 miles N. of the post cor. of Sec.
 10. 11. 14 & 15
 Lands &c same as last mile.

T. N^o 5 N.R. N^o 47. 2nd Mer. Line

West	On the true line between Sec. 10 & 15 T. N ^o 5 N.R. 47
40.00	Set the temp ^y post at av. dist. on the true line for the cor. of 74 th E. from which
	N. Oak. 15 in. dist. from N 47 E. 36 the dist; 1 st
	Wicks 9 " " " 645 N. 19 " "
80.00	To the post cor. of sec. 9, 10, 15 & 16.
<hr/>	
North	Return Sec. 9 & 10. T. N ^o 5 N.R. N ^o 47.
33.01	To a Brook 29 the mile; Co. West
40.00	Set a post for the cor. of 74 th E. from which
	N. Oak. 10 in. dist. from N 9 N. 40 the dist; 1 st
	Lo. 9 " " " N 70 E. 41 " "
51.00	To a N. Oak. 12 in. dist. stands in the line.
80.00	Set a post for the cor. of sec. 3, 4, 9 & 10 from which
	Poplar. 8 in. dist. from N 14 N. 47 the dist; 1 st
	N. Oak. 12 " " " N 68 E. 19 " "
	Same same as last mile
<hr/>	
East	On Random line between Sec. 3 & 10 T. N ^o 5 N.R. N ^o 47
39.61	To a Brook 12 the mile, Corner S.
40.00	Set a temp ^y 74 th E. post
80.10	Enter out the N 15 line 13 links N. of the post cor. of sec. 3, 4, 9 & 10
	Same the same
<hr/>	
West	On the true line between Sec. 3 & 10 T. N ^o 5 N.R. N ^o 47
40.05	Set the temp ^y post at av. dist. on the true line for the cor. of 74 th E. from which on
	Ironwood 8 in. dist. from West 26 the dist; 1 st
	Lo. 8 " " " East 65 " "
80.10	To the cor. of sec. 3, 4, 9 & 10
<hr/>	
North	Return Sec. 3 & 4. T. N ^o 5 N.R. N ^o 47
40.00	Set a post for the cor. of 74 th E. from which on

T. N^o 5 N.R. N^o 4 W. 2nd Mm. Sud^e

80.75	<p>W. Oak 20 in diam bears N 15 W. 8 links dist; 1 in Log mode 5 " " " S 55 E. 11 " " Set a post on the N Boundary 25 links west of the post cor of Sec. 33 & 34 T. N^o 6 N.R. N^o 4 W. from which W. Oak 12 in diam bears S 2 E. 31 links dist; 1 in Log mode 7 " " " N 34 W. 23 " " Sande or 118 Timber Oak 17 links.</p>
North 40.00	<p>Between Sec. 32 & 33. T. N^o 5 N.R. N^o 4 W. Set a post for the cor. of 74 Sec. from which W. Oak 18 in diam bears N 74 W. 34 links dist; 1 in Log 10 " " " S 40 W. 44 " "</p>
80.00	<p>Set a post for the cor. of sec. 28, 29, 32 & 33 from which W. Oak 20 in diam bears S 25 E. 25 links dist; Sande broken Timber Oak 17 links.</p>
East 40.00	<p>On a random line between Sec. 28 & 33. T. 5 N.R. 4 W. Set a temporary post</p>
80.00	<p>Continue the N & S line 8 links N. of the post cor. of sec. 27, 28, 33 & 34. Sande same.</p>
West 40.00	<p>On the true line between Sec. 28 & 33. T. 5 N.R. 4 W. Set the temporary post at av. dist. on the true line for the cor of 74 Sec. from which Gum 10 in diam bears N 41 W. 14 links dist; 1 in Log 12 " " " S 16 E. 8 " "</p>
80.00	<p>To the cor of sec. 28, 29, 32 & 33.</p>
North 40.00	<p>Between Sec. 28 & 29 T. N^o 5 N.R. N^o 4 W. Set a post for the cor. of 74 Sec from which W. Oak 12 in diam bears N 59 E. 39 links dist; 1 in Log 10 " " " S 71 W. 38 " "</p>
47.00 80.00	<p>Thick, thick Set a post for the cor. of Sec. 20, 21, 28 & 29 in a thick</p>

T. N^o 5 N.R. N^o 4 W. 2nd Mer. Ind.

Go to same as last mile.

East On Random line between Sec. 21. & 28 T. 5 N. R. 4 W.
 40.00 Set a temp^y 1/4 in. post
 79.00 To Brook. 18 1/2 miles, corner S.
 80.00 Intersect the N & S line 10 1/2 mi. S. of the post cor. of Sec.
 21. 22, 27, & 28.
 Go to same as last mile.

West Outcrop line between Sec. 21. & 28 T. 5 N. R. 4 W.
 40.00 Set temp^y post at av. dist. between line for the cor.
 of 1/4 in. from which
 W. Oak — in dist. trees S 98.63 the dist; to
 Sec. 12, " " N 97.48 " "
 80.00 To the post cor. of Sec. 20, 21, 28 & 29.

North Between Sec. 20. & 21. T. 5 N. R. 4 W.
 40.00 Set a post for the cor. of 1/4 in.
 48.00 To timber lands.
 80.00 Set a post for the cor. of Sec. 16, 17, 20, & 21. from which
 W. Oak 20 in dist. trees N 17.95 the dist;
 Go to same as last mile.

East On Random line between Sec. 16. & 21. T. 5 N. R. 4 W.
 40.00 Set a temp^y 1/4 in. post.
 80.10 Intersect the N & S line 8 1/2 mi. S. of the post cor. of Sec.
 15, 16, 21, & 22
 Go to same as last mile.

West Outcrop line between Sec. 16 & 21 T. 5 N. R. 4 W.
 40.05 Set the temp^y post at av. dist. on the line for the cor. of
 1/4 in. from which
 W. Oak 16 in dist. trees S 24 W. 12 the dist; to

80.10	W. Oak. 9 in dist. bears. West 13 links dist; To the cor of sec. 16, 17, 20, & 21.
North 40.00	Between Sec. 16 & 17 T. N. 5 N.R. N. 47. Set a post for the cor. of 74 sec. from which W. Oak. 18 in. dist. bears. S 24 W. 39 lks dist; &c W. Oak 7 " " S 25 E. 10 " "
49.10	To a P. Oak. 10 in dist. stands in the line.
80.00	Set a post for the cor. of sec. 8, 9, 16 & 17 from which W. Oak. 10 in dist. bears. S 1 E. 50 lks dist; &c Co. 12 " " " S 1 E. 19 " " Lands the same
East 40.00	On Random line between sec. 9 & 16 T. 5 N.R. N. 47. Set a temporary post for the cor. of 74 sec.
80.18	Enter sub the N. 5, line 10 lks E. of the post cor of sec. 9, 10 15 & 16. Lands the same.
West 40.09	On the line between sec. 9 & 16 T. N. 5 N.R. N. 47. Set the temporary post at the ar. dist. in the line for the cor. of 74 sec. from which Log mode 8 in dist. bears. S 9 E. 6 links dist; &c W. Oak. 20 " " " S 7 E 9 " "
80.18	To the cor. of sec. 8, 9, 16 & 17.
North 40.00	Between Sec. 8 & 9 T. N. 5 N.R. N. 47. Set a post for the cor. of 74 sec. from which W. Oak. 9 in dist. bears S 13 E. 31 lks dist; &c Co. 18 " " " S 9 E. 12 " "
58.28	To a Brook. 40 lks wide, Course N.
80.00	Set a post for the cor. of sec. 4, 5, 8 & 9 from which W. Oak. 10 in dist. bears S 17 E. 43 lks dist; &c Log mode 6 " " " S 7 W. 9 " "

T. N. 5 N. R. N. 4 W. 2nd Mer. Ind^a

Land to Sumo.

East On Random line between Sec. 4 & 9 T. 5 N. R. 4 W.
40.00 Set a temporary 1/4 sec. post.
79.89 Enter at the N. S. line 12 W. S. of the post cor. of sec.
3, 4, 9 & 10. Land to Sumo.

West On the true line between Sec. 4 & 9 T. 5 N. R. 4 W.
39.94 1/2 Set the temporary post at ar. dist. on the true line for the cor.
of 1/4 sec. from which a
W. Oak 12 in diam. bears N 88 W. 13 W. dist.
79.89 To the cor. of sec. 4 & 5, 8 & 9.

North Between Sec. 4 & 5 T. N. 5 N. R. N. 4 W.
19.20 To a Gum 12 in diam. stands on the line.
40.00 Set a 1/4 sec. post from which a
Wick 10 in diam. bears S 10 E. 26 W. dist. 100
W. Oak 10 " " N 22 W. 35 " "
80.62 To the cor. of sec. 32 & 33. T. N. 6 N. R. N. 4 W.
Land to Sumo.

North Between Sec. 31 & 32 T. N. 5 N. R. N. 4 W.
40.00 Set a 1/4 sec. post from which a
W. Oak 12 in diam. bears S 6 E. 22 W. dist. 100
Do. 10 " " " N 66 W. 23 " "
80.00 Set a post for the cor. of sec. 29, 30, 31 & 32 from which a
W. Oak 10 in diam. bears N 76 E. 35 W. dist. 100
Do. 18 " " " S 83 E. 41 " "
Land to Sumo; Timber Oak & Hickory.

East On Random line between Sec. 29 & 32 T. 5 N. R. 4 W.
40.00 Set a temporary 1/4 sec. post.
80.08 Enter at the N. S. line at the post cor. of sec. 28, 29, 30 & 33.

T. N^o 5 N.R. N^o 4 W. 2nd Mer. Sec.

Sands same as last mile.

West On the true line between Sec. 29 & 30 T. 5 N. R. 4 W.
40.04 Set the temporary post at av. dist. in true line for the cor. of
1/4 sec. from which
N. Oak. 12 in dist. from S. 82 W. 33 the dist; & a
Lo. 18 " " " N 33 E. 6 " "
80.08 To the cor. of Sec. 29, 30, 31 & 32.

North Between Sec. 29 & 30 T. N^o 5 N.R. N^o 4 W.
40.00 Set a 1/4 sec. post from which
N. Oak. 12 in dist. from S. North 2 the dist;
46.00 To a Brook 10 the side, Course N.E.
78.50 " " Lo. 10 " " " N.W.
80.00 Set a post for the cor. of Sec. 19, 20, 29 & 30 from which.
N. Oak. 12 in dist. from S. 73 E. 30 the dist; & an
Ironwood 6 " " North 59 " "
Sands Hilby; Timber Oak. & Hickory

East On Random line between Sec. 20 & 29 T. 5 N. R. 4 W.
30.00 To a Bush thicket
40.00 Set a temporary 1/4 sec. post.
80.00 Enter at the N.W. line 10 miles N. of the post cor. of Sec.
20, 21, 28 & 29.
Sands same as last mile.

West On the true line between Sec. 20 & 29 T. 5 N. R. 4 W.
40.00 Set the temporary post at the av. dist. on the true line for the
cor. of 1/4 sec. from which
N. Oak. 12 in dist. from S. 85 E. 75 the dist;
80.00 To the cor. of Sec. 19, 20, 29 & 30.

North Between Sec. 19 & 20 T. N^o 5 N.R. N^o 4 W.

T. N^o 5 N. R. N^o 4 W. 2nd Mer. Land

80.00 To Brook 10 Ws wide, Co. S. E.
 10.00 " Do. 10 " " " N. W.
 40.00 Set a post for the cor. of 1/4 sec. from which
 W. Oak 19 in diam. trees N 5 W. 54 Ws wide; tan
 Do. 18 " " " N 78 W. 14 " "
 80.00 Set a post for the cor. of sec. 17, 18, 19 & 20 from which
 W. Oak 12 in diam. trees N 11 E. 22 Ws wide; tan
 P. yew 24 " " " S 11 W. 10 " "
 Same same.

East On Random line between sec. 17, 20 T. N^o 5 N. R. 4 W.
 40.00 Set a temporary post 1/4 sec. post.
 80.00 Enter cut the N & S line of the E. of the post cor. of sec. 16.
 17, 20 & 21. Same same.

West On the true line between sec. 17 & 20 T. N^o 5 N. R. 4 W.
 40.00 Set the temporary post at the av. dist on the true line for
 the cor. of 1/4 sec. from which
 Hick 6 in diam. trees S 3 W. 21 Ws wide; tan
 Do. 6 " " " S 7 W. 12 " "
 80.00 To the cor. of sec. 17, 18, 19 & 20.

North Between sec. 17 & 18 T. N^o 5 N. R. N^o 4 W.
 40.00 Set a 1/4 sec. post from which
 Hogsrods 6 in diam. trees N 3 W. 45 Ws wide; tan
 Sugar 12 " " " S 1 W. 43 " "
 42.35 To Brook 40 Ws wide, Corner West
 80.00 Set a post for the cor. of sec. 7, 8, 17 & 18. from which
 Hogsrods 6 in diam. trees N 11 W. 37 Ws wide; tan
 W. Oak 18 " " " South 16 " "
 Same same

East On Random line between sec. 8 & 17 T. 5 N. R. N^o 4 W.

T. N. 5 N.R. N. 4 N. 2nd Mer. S. d.

40.00 Set a $\frac{1}{4}$ cu. post (temp.)
 64.00 To a Brook. 25 miles wide, course S.W.
 80.00 Enter at the N & S line 10 miles E. of the post cr. of sec.
 8.9.16 & 17 Lands same.

West On the true line between sec. 8 & 17 T. 5 N.R. N. 4 N.
 40.00 Set the temp. post at the ar. dish on the true line for the
 cr. of 14 sec. from which
 W. Oak. 12 in dia. trees. N 76 E. 43 links dish; 12,
 W. Oak. 8 " " " S 59 W. 17 " "
 80.00 To the cr. of sec. 7. 8. 17. 18.

North Return sec. 7 & 8. T. 5 N.R. N. 4 N.
 28.10 To a Gum 20 in dia. stands on the line.
 40.00 " " 10. 10 " " " for the cr. of 14 sec
 48.00 To a Bushy Gum: course N.W. & S.E.
 80.00 Set a post for the cr. of sec. 5, 6, 7 & 8. from which a
 Willow 9 in dia. trees S 34 W. 30 links dish;
 Lands same as last mile.

East On Random line between sec. 5 & 8. T. 5 N.R. N. 4 N.
 22.25 To a Brook. 10 links wide, course S.
 40.00 Set a temp. $\frac{1}{4}$ cu post.
 61.50 To a Brook. 12 links wide, course S.W.
 80.00 Enter at the N & S line 18 links E. of the post cr. of sec. 4. 5.
 8 & 9 Lands same

West On true line between sec. 5 & 8. T. 5 N.R. N. 4 N.
 40.00 Set the temp. post at ar. dish on the true line for the cr. of
 14 sec. from which a
 Log woods 7 in dia. trees. S 46 W. 11 links dish; 22,
 Gum. 10 " " " N 27 W. 22 " "
 80.00 To the post cr. of sec. 5. 6. 7 & 8.

T. N^o 5 N.R. N^o 4 W. 2nd Mer. Ind.North Return Sep. 5 & 6 T. N^o 5 N.R. N^o 4 W.

2.00 To the N. side of the pond

40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a
W. Oak 12 in. dia. bears N 21 W. 17 the dist; &c

Do 17 " " " S 17 E. 30 " "

81.50 Set a post on the N. Boundary, 12 Mts East of the post

cor. of sec. 31. & 32 T. N^o 5 N.R. 4 W. from which a

W. Oak 20 in dia. bears N 51 W. 24 Mts dist; &c

Do. 10 " " " S 19 E. 33 " "

Lands same.

West Return Sep. 6 & 7 T. N^o 5 N.R. 4 W.40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a

W. Oak 10 in. dia. bears N 60 E. 44 the dist; &c

W. Oak 12 " " " S 9 E. 51 " "

74.00 Set a post on the West Boundary 75 Mts South of the post

cor. of sec. 1 & 12 T. N^o 5 N.R. N^o 5 W. from which a

Poplar 7 in dia. bears N 17 W. 26 Mts dist; &c

Gum 10 " " " S 15 E. 26 " "

Lands sold. Timber Oak & Hickory

West Return Sep. 7 & 18 T. N^o 5 N.R. 4 W.40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a

Hickory 10 in. dia. bears N 86 E. 43 Mts dist; &c

W. Oak 20 " " " S 3 W. 54 " "

74.11 Set a post on the West Boundary 8 Mts S. of the post

cor. of sec. 12 & 13. T. N^o 5 N.R. N^o 5 W. from which a

W. Oak 12 in dia. bears N 84 E. 44 Mts dist; &c

Poplar 8 " " " N 74 W. 39 " "

Lands same as last mile.

West Return Sep. 18 & 19 T. N^o 5 N.R. N^o 4 W.40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a

T. N. 5 N. R. N. 4 T. 2nd Mer. Ind.

W. Oak. 18 in dia. bears S 55 W. 11 lbs dish; r
 Ho. 10 " " " S 79 E. 39 " "
 53.50 To a Brook. 10 links wide, corner N. R.
 61.40 " " W. Oak. 20 in dia. in the line.
 74.00 To the cor. of sec. 13 & 24 T. N. 5 N. R. N. 5 T.
 Lands thin & bushy; timber Oak & Hickory.

West Return Sat 19 & 30 T. N. 5 N. R. 4 T.
 0.25 To a Brook. 18 lbs wide, Co. N.
 40.00 Set a 1/4 sec. post from which a
 Log made 5 in. dia. bears N 59 E. 8 lbs dish; r
 W. Oak. 24 " " " N 50 W. 22 " "
 65.00 To a Brook. 8 lbs wide, corner N.
 73.70 To cor. of sec. 24 & 25. T. N. 5 N. R. 5 T.
 Lands hilly, thin soil; timber Oak & Hickory.

West Return Sat 30 & 31 T. N. 5 N. R. 4 T.
 40.00 Set a post for the cor. of 1/4 sec. from which a
 W. Oak. 20 in dia. bears S 88 E. 77 lbs dish; r
 49.00 To the brush thicket where there is no timber.
 74.00 " " Sec. cor. on the West & former cor. sec. 25 &
 36. T. N. 5 N. R. 5 T. Soil thin.

Surveyed by
 Arthur Menrie, C. S.

I certify that the foregoing transcript of the
 Field notes of Township N. 5 North of Range N. 4
 West of the 2nd Mer., Indiana, has been com-
 pared with the Original notes in this Office, & found
 to be correct.

Surveyor General's Office
 Cincinnati, Jan'y 4. 1841

E. S. Harris

Sur. Gen.